

Case Studies in OpenVMS Shareable Libraries

***Robert Gezelter Software Consultant
35 – 20 167th Street, Suite 215
Flushing, New York 11358 – 1731
United States of America***

***+1 718 463 1079
gezelter@rlgsc.com***

***Thursday, June 6, 1996
11:00 – 11:50
Room 124***

***Spring 1996 US DECUS Symposium
America's Center
St. Louis, Missouri***

Why Use Shareable Libraries?

Maintenance
Speed/Efficiency
Leave no stone unturned
(or program un-relinked)
Dynamic code generation

When and Why?

It is well known that shareable libraries make sense in heavily used applications. For example, the VMS Run-Time library is implemented as a series of Shareable Libraries.

Case Studies in OpenVMS Shareable Libraries
Slide 2
© 1992, 1996, Robert Gezelter, All Rights Reserved

Robert Gezelter
Software Consultant

Case Studies in OpenVMS Shareable Libraries
Slide 3
© 1992, 1996, Robert Gezelter, All Rights Reserved

Robert Gezelter
Software Consultant

NOTES

When and Why? (cont'd)

Not as well known are the benefits realized in program development and applications implementation. These benefits are completely user realizeable, and are separate from the traditional system-wide benefits of using shareable libraries.

Case Studies in OpenVMS Shareable Libraries
Slide 4 © 1992, 1996, Robert Gezelter, All Rights Reserved

Robert Gezelter

Software Consultant

Maintenance

No need to re-link entire program for change in one routine.

***Ability to quickly switch
between new and old versions
of routines.***

Case Studies in OpenVMS Shareable Libraries
Slide 5 © 1992, 1996, Robert Gezelter, All Rights Reserved

Robert Gezelter

Software Consultant

NOTES

Speed/Efficiency

INSTALLED shareable image

Read-only pages shared by many processes

Significant reduction in memory requirements

Significant reduction in disk storage requirements

Leave No Stone Unturned

Changes in object libraries require relinking to take effect

Relinking is a major task in a medium/large facility (tens or hundreds of programs)

NOTES

Dynamic Code Generation

Permits execution time customization

Highly efficient

Simplifies code

Old tactic; but not well known

Cases from our Files:

We will present two case studies:

Development advantages

Applications tool for dynamic code generation

NOTES

Case 1 – Development


Symptom:

Large Program – Slow Links

Linking this program takes up to 20 minutes on a VAX-11/780

Problem:

Program is like a pyramid – very large foundation



NOTES

Solution:

Create one or more user shareable images containing most of the foundation elements.

Result:

Link time reduced to 15 seconds!

Mechanics of Shareable Libraries

Define Transfer Vector:

.TRANSFER	TEKPLT
.MASK	TEKPLT
JMP	L^TEKPLT+2
.END	

Assemble transfer vector.

NOTES

The support code, which is the bulk of the image, is in the shareable libraries!

Main
Program

Shareable
Library
ALFA

Shareable
Library
VMSRTL

Case Studies in OpenVMS Shareable Libraries
Slide 14
© 1992, 1996, Robert Gezelter, All Rights Reserved

Robert Gezelter
Software Consultant

Specify the shareable library at execution time

Use logical names.

No privileges required!

```
$ ASSIGN -  
$_ $1$DUA2:[GEZELTER]TEKPLT.EXE -  
$_ TEKPLT  
$ RUN program
```

Case Studies in OpenVMS Shareable Libraries
Slide 15
© 1992, 1996, Robert Gezelter, All Rights Reserved

Robert Gezelter
Software Consultant

NOTES

Case 2 – Dynamic Linking a.k.a. Power Tools with Interchangeable Heads/Bits

***Most programs are written to
do a particular job.***

***How does one write a program
to do many different jobs?***

***With Shareable Libraries,
of course!***

Programming By Chinese Menu

Pick:

1 from Column A

1 from Column B

3 from Column C

NOTES

Conventional Programming

Column A: 5 possible choices

Column B: 7 possible choices

Column C: 30 possible choices

TOTAL: 1050 programs

(5 * 7 * 30)

Programming By Chinese Menu

5 Group A subroutine packages

7 Group B subroutine packages

30 Group C subroutine packages

1 Main Program

TOTAL: 43 programs / packages

(5 + 7 + 30 + 1)

NOTES


Conventional Programming vs. Chinese Menu – The Difference

**Conventional:
1050 programs**

**Chinese Menu:
43 modules/packages
3 interfaces**

**The Difference:
1007 programs!
(or combinations of options)**

Key Concept: Programming by Chassis



Case Studies in OpenVMS Shareable Libraries
Slide 20
© 1992, 1996, Robert Gezelter, All Rights Reserved

Robert Gezelter
Software Consultant


Case Studies in OpenVMS Shareable Libraries
Slide 21
© 1992, 1996, Robert Gezelter, All Rights Reserved

Robert Gezelter
Software Consultant

NOTES

Programming by Chassis: Operation

Basic Chassis



Goal:

*Develop a large family of
related programs with
minimal effort*

***Maintain separation between
different applications***

Case Studies in OpenVMS Shareable Libraries
Slide 22

© 1992, 1996, Robert Gezelter, All Rights Reserved

Robert Gezelter
Software Consultant

Case Studies in OpenVMS Shareable Libraries
Slide 23

© 1992, 1996, Robert Gezelter, All Rights Reserved

Robert Gezelter
Software Consultant

NOTES

Case Study: Mailing List System

Must generate:

***Labels
Envelopes
Form letters
Invitations
Listings
Attendee Lists***

...

Problem: Complexity

***Program complexity grows
as an exponential ($n^{**}m$)
of the number of different
options AND the number of
different values of the
options***

NOTES

Complexity

Research has shown that correctness of code is endangered by large numbers of nested IF statements

By hanging different applications components on the same chassis, we are able to achieve a wide variety of options WITH NO INCREASE IN APPLICATIONS COMPLEXITY

Case Studies in OpenVMS Shareable Libraries
Slide 26 © 1992, 1996, Robert Gezelter, All Rights Reserved

Robert Gezelter
Software Consultant

Programming by Components

Record Processing
Initialize, Process, End
Accept Record
Name Builder
Utilities
Process Utilities

Case Studies in OpenVMS Shareable Libraries
Slide 27 © 1992, 1996, Robert Gezelter, All Rights Reserved

Robert Gezelter
Software Consultant

NOTES

Result:

Shareable libraries permit us to achieve the effect of multiple levels of nested IF statements without increasing program complexity.

Production Environment

The selection of components is driven by the menu system. There is little need for multiple levels of IF statements.

NOTES

Another view:

***This way of building applications
is conceptually similar to
genetics. You build applications
(organisms) out of simple
building blocks.***

Case Studies in OpenVMS Shareable Libraries
Slide 30 © 1992, 1996, Robert Gezelter, All Rights Reserved

Robert Gezelter
Software Consultant

Questions?

Robert Gezelter Software Consultant

35 – 20 167th Street, Suite 215

Flushing, New York 11358 – 1731

United States of America

+1 718 463 1079

gezelter@rlgsc.com

Case Studies in OpenVMS Shareable Libraries
Slide 31 © 1992, 1996, Robert Gezelter, All Rights Reserved

Robert Gezelter
Software Consultant 35 – 20 167th Street, Suite 215, Flushing, New York 11358 – 1731 USA
+1 718 463 1079

NOTES